

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	211	((("ad" adj hoc) or (multi adj hop)) near network) and (topology or link or state or status) and (((parent or root or source) and child\$7) with (node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 20:26
L2	12	@ay<"2001" and ((("ad" adj hoc) or (multi adj hop)) near network) and (topology or link or state or status) and (((parent or root or source) and child\$7) with (node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 20:28
L3	9	@ay<"2001" and ((("ad" adj hoc) or (multi adj hop)) near network) and (topology or link or state or status) and (((parent or root or source) and child\$7) with (node)) and ((parent or root or source) near node) with (decid\$3 or decision or determin\$5 or analyz\$3 or analysis or examin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 20:30

L4	7	@ay<"2001" and (((("ad" adj hoc) or (multi adj hop)) near network) and (topology or link or state or status) and (((parent or root or source) and child\$7) with (node)) and ((parent or root or source) near node) with (decid\$3 or decision or determin\$5 or analyz\$3 or analysis or examin\$5) and (updat\$3 with (delet\$4 or new or chang\$3 or alter\$5 or edit\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 20:33
L5	9	@ay<"2001" and (((("ad" adj hoc) or (multi adj hop)) near network) and (topology or link or state or status) and (((parent or root or source) and child\$7) with (node)) and ((parent or root or source) near node) with (decid\$3 or decision or determin\$5 or analyz\$3 or analysis or examin\$5) and (updat\$3 with (message or packet or package) (delet\$4 or new or chang\$3 or alter\$5 or edit\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 20:34
L6	6	@ay<"2001" and (((("ad" adj hoc) or (multi adj hop)) near network) and (topology or link or state or status) and (((parent or root or source) and child\$7) with (node)) and ((parent or root or source) near node) with (decid\$3 or decision or determin\$5 or analyz\$3 or analysis or examin\$5) and	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 20:34

		(updat\$3 with (message or packet or package) with (delet \$4 or new or chang\$3 or alter\$5 or edit\$3))				
L7	1	@ay<"2001" and (((("ad" adj hoc) or (multi adj hop)) near network) and (topology or link or state or status) and (((parent or root or source) and child\$7) with (node)) and ((parent or root or source) near node) with (decid\$3 or decision or determin\$5 or analyz\$3 or analysis or examin\$5) and (updat\$3 with (message or packet or package) with (delet \$4 or new or chang\$3 or alter\$5 or edit\$3))). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 20:35
L11	32	@ay<"2001" and ((topology or link or state or status) and (((parent or root or source) and child\$7) with (node)) and ((parent or root or source) near node) with (decid\$3 or decision or determin\$5 or analyz\$3 or analysis or examin\$5) and (updat\$3 with (message or packet or package) with (delet \$4 or new or chang\$3 or alter\$5 or edit\$3)))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/22 20:38

L12	2	@ay<"2001" and ((topology or link or state or status) and (((parent or root or source) and child\$7) with (node)) and ((parent or root or source) near node) with (decid\$3 or decision or determin\$5 or analyz\$3 or analysis or examin\$5) and (updat\$3 with (message or packet or package) with (delet\$4 or new or chang\$3 or alter\$5 or edit\$3))). clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/22 20:39
L13	3	@ay<"2001" and ((topology or link or state or status) and (((parent or root or source) and child\$7) with (node)) and ((parent or root or source) near node) with (decid\$3 or decision or determin\$5 or analyz\$3 or analysis or examin\$5) and (updat\$3 with (message or packet or package) with (delet\$4 or new or chang\$3 or alter\$5 or edit\$3))) and 709/238,242.ccls.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/22 21:07
S1	0	"09728020"	US-PGPUB; USPAT	OR	ON	2004/03/18 14:48
S2	41	@py<"2000" and (709/223.ccls. or 709/224.ccls.) and hop	US-PGPUB; USPAT	OR	ON	2004/03/18 15:12
S3	38	@py<"2000" and (709/223.ccls. or 709/224.ccls.) and hop and (topology or layout or arrangment or locat\$)	US-PGPUB; USPAT	OR	ON	2004/03/18 15:12

S4	30	@py<"2000" and (709/223.ccls. or 709/224.ccls.) and hop and (topology)	US-PGPUB; USPAT	OR	ON	2004/03/18 15:19
S5	7	@py<"2000" and (709/223.ccls. or 709/224.ccls.) and hop and (topology) and tree	US-PGPUB; USPAT	OR	ON	2005/02/17 19:35
S6	35	@ay<"2000" and (709/223.ccls. or 709/224.ccls.) and hop and (topology) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 19:35
S7	36	@ay<"2000" and (709/223.ccls. or 709/224.ccls.) and (hop or multihop or "multi-hop") and (topology) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 19:35
S8	1	@ay<"2000" and (709/223.ccls. or 709/224.ccls.) and (multihop or "multi-hop") and (topology) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 20:02
S9	9	@ay<"2000" and ("ad-hoc" or "ad hoc") and topology and ((parent and child\$7) with (node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 20:05
S10	2	@ay<"2000" and ("ad-hoc" or "ad hoc") and topology and ((parent and child\$7) with (node)) and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:20
S11	6	@ay<"2000" and ("ad-hoc" or "ad hoc" or multihop) and topology and ((parent and child\$7) with (node)) and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:29

S12	8	@ay<"2000" and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and topology and ((parent and child\$7) with (node)) and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:20
S13	13	@ay<"2000" and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and topology and (((parent or master) and (child\$7 or slave)) with (node)) and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:21
S14	14	@ay<"2000" and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and topology and (((parent or master) and (child\$7 or slave)) with (node)) and (wireless or mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:21
S15	14	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and topology and (((parent or master) and (child\$7 or slave)) with (node)) and (wireless or mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:21
S16	14	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and topology and (((parent or master) and (child\$7 or slave)) with (node)) and (wireless or mobile or cellular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:21

S17	19	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch\$9) and (((parent or master) and (child\$7 or slave)) with (node)) and (wireless or mobile or cellular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:24
S18	18	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch\$9) and (((parent or master) and (child\$7 or slave)) with (node)) and (wireless or mobile or cellular) and path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:29
S19	19	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch\$9) and (((parent or master) and (child\$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 22:24
S20	13	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch\$9) and (((parent or master) and (child\$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or link) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:23

S21	80	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch\$9) and (node with (table or list or record or structure) with (hierarch\$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:28
S22	4	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch\$9) and (node with (table or list or record) with (updat\$4) with (hierarch\$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:24
S23	4	@ay<"2000" and (("ad-hoc" or "ad hoc" or multihop or "multi-hop") with network) and (topology or hierarch\$9) and (node with (table or list or record) with (updat\$4) with (hierarch\$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:28
S24	4	@ay<"2000" and (("ad-hoc" or "ad hoc" or multihop or "multi-hop") with network) and (node with (table or list or record) with (updat\$4) with (hierarch\$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:29
S25	22	@ay<"2000" and (("ad-hoc" or "ad hoc" or multihop or "multi-hop") with network) and (node with (table or list or record) with (hierarch\$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:29

S26	18	S25 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:29
S27	2	"5303207".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 15:48
S28	2	"5671357".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:09
S29	0	"1994254494"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:11
S30	2	"5619657".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:10
S31	0	"1994254494".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:11
S32	0	"1994254494".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:11
S33	0	"1994254494".rlan.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:11

S34	0	"1994254494".rlpd.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:12
S35	0	"1994254494".AP.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:12
S36	0	"1994254494".APN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:27
S37	2	"9819224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 20:28
S38	13	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi- hop") and (topology or hierarch\$9) and (((parent or master) and (child\$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or link) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:23
S39	4	@ay<"2000" and network and ("ad-hoc" "ad hoc" or multihop or "multi-hop") and (topology or hierarch \$9) and (node with (table or list or record) with (updat\$4) with (hierarch\$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:24

S40	4	@ay<"2000" and ((("ad-hoc" or "ad hoc" or multihop or "multi-hop") with network) and (topology or hierarch\$9) and (node with (table or list or record) with (updat\$4) with (hierarch\$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:28
S41	12	@ay<"2000" and "709".clas. and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch\$9) and (node with (table or list or record or structure) with (hierarch\$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:29
S42	6	@ay<"2000" and ("ad-hoc" or "ad hoc" or multihop) and topology and ((parent and child\$7) with (node)) and (wireless or wlan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:29
S43	22	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch\$9) and (((parent or master) and (child\$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or route or trail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:29
S44	22	@ay<"2000" and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch\$9) and (((parent or master) and (child\$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or route or trail or links)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 04:30

S45	73	((("ad-hoc" or "ad hoc" or multihop or "multi-hop") with network) and (topology or hierarch\$9) and (node with (table or list or record) with (updat\$4) with (hierarch\$7 or topology)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:10
S46	1	709/203.ccls. and ((("ad-hoc" or "ad hoc" or multihop or "multi-hop") with network) and (topology or hierarch\$9) and (node with (table or list or record) with (updat\$4) with (hierarch\$7 or topology)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:14
S47	13	709/203.ccls. and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch\$9) and (node with (table or list or record or structure) with (hierarch\$7 or topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:16
S48	1	709/203.ccls. and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and topology and (((parent or master) and (child\$7 or slave)) with (node)) and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:17
S49	6	709/203.ccls. and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (topology or hierarch\$9) and (((parent or master) and (child\$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or route or trail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:17

S50	6	709/203.ccls. and network and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (((parent or master) and (child\$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or route or trail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:19
S51	67	"709".clas. and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (((parent or master) and (child\$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or route or trail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:19
S52	81	"709".clas. and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (((parent or master) and (child\$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or route or trail or link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:21
S53	81	"709".clas. and ("ad-hoc" or "ad hoc" or multihop or "multi-hop") and (((parent or master) and (child\$7 or slave)) with (node)) and (wireless or mobile or cellular) and (path or route or trail or link or edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 02:21
S54	2	"5671357".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 13:43
S55	2	"20020062388"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 15:04

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	0	@ay<"2001" and (((("ad" adj hoc) or (multi adj hop)) near network) and (topology or link or state or status) and (((parent or root or source) and child\$7) with (node)) and ((parent or root or source) near node) with (decid\$3 or decision or determin \$5 or analyz\$3 or analysis or examin\$5) and (updat\$3 with (message or packet or package) with (delet\$4 or new or chang\$3 or alter\$5 or edit\$3))) .clm.	USPAT; UPAD	OR	ON	2009/11/22 20:35
L9	2	@ay<"2001" and (((("ad" adj hoc) or (multi adj hop)) near network) and (topology or link or state or status) and (((parent or root or source) and child\$7) with (node)) and ((parent or root or source) near node) with (decid\$3 or decision or determin \$5 or analyz\$3 or analysis or examin\$5) and (updat\$3 with (message or packet or package) with (delet\$4 or new or chang\$3 or alter\$5 or edit\$3)))	USPAT; UPAD	OR	ON	2009/11/22 20:36

L10	28	@ay<"2001" and ((topology or link or state or status) and (((parent or root or source) and child\$7) with (node)) and ((parent or root or source) near node) with (decid\$3 or decision or determin\$5 or analyz\$3 or analysis or examin\$5) and (updat\$3 with (message or packet or package) with (delet\$4 or new or chang\$3 or alter\$5 or edit\$3)))	USPAT; UPAD	OR	ON	2009/11/22 20:37
L14	2	@ay<"2001" and ((topology or link or state or status) and (((parent or root or source) and child\$7) with (node)) and ((parent or root or source) near node) with (decid\$3 or decision or determin\$5 or analyz\$3 or analysis or examin\$5) and (updat\$3 with (message or packet or package) with (delet\$4 or new or chang\$3 or alter\$5 or edit\$3))) and 709/238,242.ccls.	USPAT; UPAD	OR	ON	2009/11/22 21:07

11/ 22/ 09 9:27:28 PM

C:\ Documents and Settings\ achoudhury\ My Documents\ EAST\ Workspaces
 \ azizul09728020.wsp